

MICROBIOLOGY 204
T CELL RECEPTOR SIGNAL TRANSDUCTION
October 15, 2018
ART WEISS (aweiss@medicine.ucsf.edu)
*** Required reading**

General Reviews:

1. Chakraborty, A.K., and Weiss, A. 2014. Insights into the initiation of TCR signaling. *Nature Immunol.* 15:798-807.
2. ***Gaud, G., Lesourne, R., and Love, P. 2018. Regulatory mechanisms in T cell receptor signaling. *Nature Rev. Immunol.* 18:485-497.**

T Cell Polarization and the Immunological Synapse:

3. Monks, C.R., B.A. Freiberg, H. Kupfer, N. Sciaky, and A. Kupfer. 1998. Three-dimensional segregation of supramolecular activation clusters in T cells. *Nature* 395:82-86.
4. Grakoui, A., S.K. Bromley, et al. 1999. The immunological synapse: A molecular machine controlling T cell activation. *Science*. 285:221-227.
5. Lee, K.H., A.D. Holdorf, M.L. Dustin, A.C. Chan, P.M. Allen, A.S. Shaw. 2002. T cell receptor signaling precedes immunological synapse formation. *Science*. 295:1539-1542.
6. Lee, K.H., A.R. Dinner, C. Tu, G. Campi, S Raychaudhuri, R. Varma, et al. 2003. The immunological synapse balances T cell receptor signaling and degradation. *Science*. 302: 1218-1222.
- *7. Varma, R., G. Campi, T. Yokosuka, T. Saito, and M.L. Dustin. 2006. T cell receptor-proximal signals are sustained in peripheral microclusters and terminated in the central supramolecular activation cluster. *Immunity*. 25:117-27.**
8. James, J.R., and R. Vale. Biophysical mechanism of T-cell receptor triggering in a reconstituted system. *Nature*. 2012 Jul 5;487(7405):64-9.
9. Su, X., Ditlev, J.A., Hui, E., Xing, W., Banjade, S., Okrut, J., King, D.S., Taunton, J., Rosen, M.K., and R.D. Vale. Phase separation of signaling molecules promotes T cell receptor signal transduction. *Science*. 2016 Apr 29;352(6285):595-9.

Mechanisms of TCR triggering:

10. Irving, B.A. and Weiss, A.: 1991. The cytoplasmic domain of the T cell receptor ζ chain is sufficient to couple to receptor-associated signal transduction pathways. *Cell*. 64:891-901.
11. Gil, D., W.W. Schamel, M. Montoya, F. Sanchez-Madrid, and B. Alarcon. 2002. Recruitment of Nck by CD3 epsilon reveals a ligand induced conformational change essential for T cell receptor signaling and synapse formation. *Cell*. 109:901-912.
12. Xu, C., E Gagnon, M.E. Call, J.R. Schnell, C.D. Schwieters, C.V. Carman, J.J. Choe, and K.W. Wucherpfennig. 2008. Regulation of T cell receptor activation by dynamic

- membrane binding of the CD3epsilon cytoplasmic tyrosine-based motif. *Cell*. 135:702-713.
13. Davis, S. J., and P.A. van der Merwe. 2011. Lck and the nature of the T cell receptor trigger. *Trends Immunol.* 32:1-5.
 14. Liu, B., Chen, W., Evavold, B.D., and Zhu, C. 2014. Accumulation of dynamic catch bonds between TCR and agonist peptide-MHC triggers T cell signaling. *Cell*. 157:357-368.
 15. Das, D.K., Feng, Y., Mallis, R.J., Li, X., Keskin, D.B., Hussey, R., Brady, S.K., Wang, J.H. Wagner, G., Reinherz, E.L., and Lang, M.J. 2015. Force-dependent transition in the T-cell antigen receptor allosterically regulates peptide discrimination and pMHC bond lifetime. *Proc. Natl. Acad. Sci. USA*. 112:1517-1522.
 16. Sibener, L.V., et al. 2018. Isolation of a structural mechanism for uncoupling T cell receptor signaling from peptide-MHC binding. *Cell*. 174:672-687

Protein Tyrosine Kinases and Phosphatases Involved in T Cell Antigen Receptor Signal Transduction:

Lck:

17. Veillette, A., M. A. Bookman, E. M. Horak, and J. B. Bolen. 1988. The CD4 and CD8 T cell surface antigens are associated with the internal membrane tyrosine-protein kinase p56^{lck}. *Cell*. 55:301-308.
18. Abraham, N., M. C. Miceli, J. R. Parnes, and A. Veillette. 1991. Enhancement of T-cell responsiveness by the lymphocyte-specific tyrosine protein kinase p56lck. *Nature*. 350:62-66.
19. Xu, H., and D. R. Littman. 1993. A kinase-independent function of lck in potentiating antigen-specific T cell activation. *Cell*. 74:633-642.
20. Straus, D., and A. Weiss. 1992. Genetic evidence for the involvement of the Lck tyrosine kinase in signal transduction through the T cell antigen receptor. *Cell*. 70:585-596.
21. Molina, T. J., K. Kishihara, et al. 1992. Profound block in thymocyte development in mice lacking p56^{lck}. *Nature*. 357:161-164.
22. Seddon, B., and R. Zamoyska. 2002. TCR signals mediated by Src family kinases are essential for the survival of naive T cells. *J. Immunol.* 169:2997-3005.
23. Nika, K., et al. 2010. Constitutively active Lck kinase in T cells drives antigen receptor signal transduction. *Immunity*. 32:766-777.
24. Courtney, A.H., et al. 2017. A phosphosite within the SH2 domain of Lck regulates its activation by CD45. *Mol. Cell*, 67:498-511.
25. Lo, W.L., et al., 2018. Lck promotes Zap70-dependent LAT by bridging Zap70 to LAT. *Nat. Immunol.* 19:733-741.

ZAP-70:

25. Chan, A. C., M. Iwashima, C. W. Turck, and A. Weiss. 1992. ZAP-70: A 70kD protein tyrosine kinase that associates with the TCR ζ chain. *Cell*. 71:649.

26. Chan, A. C., T. A. Kadlecek, et al. 1994. ZAP-70 deficiency in an autosomal recessive form of severe combined immunodeficiency. *Science*. 264:1599-1603.
27. Iwashima, M., Irving, B. A., van Oers, N. S. C., Chan, A. C., and Weiss, A. 1994. Sequential interactions of the TCR with two distinct cytoplasmic tyrosine kinases. *Science* 263: 1136-1139.
28. Kolanus, W., Romeo, C., and Seed, B. 1993. T cell activation by clustered tyrosine kinases. *Cell* 74: 171-183.
29. Negishi, I., Motoyama, et al. 1995. Essential role for ZAP-70 in both positive and negative selection of thymocytes. *Nature* 376: 435-438.
30. Au-Yeung, B.B., Levin, S.E., Zhang, C., Hsu, L.-Y., Cheng, D., Killeen, N., Shokat, K.M., and Weiss, A. 2010. A genetically selective ZAP-70 kinase inhibitor reveals requirements for catalytic function in Treg cells. *Nat. Immunol.* 11:1085-1093. 2010.
31. Yan, Q., Barros, T., Visperas, P.R., Deindl, S., Kadlecek, T., Weiss A., and Kuriyan, J. 2013. Structural basis for activation of ZAP-70 by phosphorylation of the SH2-kinase linker. *Mol. Cell Biol.*, 33:2188-2201.
32. Klammt, C., Novotná, L., Li, D.T., Wolf, M., Blount, A., Zhang, K., Fitchett, J.R., and Lillemeier, B.F. 2015. T cell receptor dwell times control the kinase activity of Zap70. *Nature Immunol.*, 16:961-969.
33. Chan, A.Y., Punwani, D., Kadlecek, T.A., Cowan, M.J., Olson, J.L., Mathes, E.F., Sunderam, U., Fu, S.M., Srinivasan, R., Kuriyan, J., Brenner, S.E., Weiss, A., and Puck, J.M. 2016. A novel human autoimmune syndrome caused by combined hypomorphic and activating mutations of ZAP-70. *J. Exp. Med.*, 213:155-165.
34. Shah, N.H., Wang, Q., Yan, Q., Karandur, D., Kadlecek, T.A., Fallahee, I.R., Russ, W.P., Ranganathan, R., Weiss, A., and J. Kuriyan. An electrostatic selection mechanism controls sequential kinase signaling downstream of the T cell receptor. *eLife*. 2016 Oct 4;5. pii: e20105. doi: 10.7554/eLife.20105.

Syk:

35. Cheng, A.M., I. Negishi, et al. 1997. Arrested development of double negative thymocytes in mice lacking both the Syk and ZAP-70 tyrosine kinases. *Proc. Natl. Acad. Sci. USA* 94:9797-9801.
36. Palacios, E. and Weiss, A. 2007. Distinct roles for Syk and ZAP-70 in early thymocyte development. *J. Exp. Med.*, 204:1703-1715.

Csk and CD45:

37. Chow, L. M. L., Fournel, M., Davidson, D., and Veillette, A. 1993. Negative regulation of T-cell receptor signalling by tyrosine protein kinase p50^{csk}. *Nature* 365: 156-160.
38. Cloutier, J.-F., and Veillette, A. 1999. Cooperative inhibition of T-cell antigen receptor signaling by a complex between a kinase and a phosphatase. *J. Exp. Med.* 189:111-121.
39. Koretzky, G., J. Picus, T. Schultz, and A. Weiss. 1991. Tyrosine phosphatase CD45 is required for both T cell antigen receptor and CD2 mediated activation of a protein tyrosine kinase and interleukin 2 production. *Proc. Natl. Acad. Sci. USA* 88:2037-2041.
40. Brdicka, T., D. Pavlistova, et al., Phosphoprotein associated with glycosphingolipid-

- enriched microdomains (PAG), a novel ubiquitously expressed transmembrane adaptor protein, binds the protein tyrosine kinase Csk and is involved in regulation of T cell activation. *J. Exp. Med.*, 191:1591-1604. 2000.
41. Davidson, D., Bakinowski, M., Tomas, M.L., Horejsi, V. and A. Veillette. Phosphorylation-dependent regulation of T cell activation by PAG/Cbp, a lipid raft-associated transmembrane adaptor. *Mol. Cell. Biol.* 23:2017-2028. 2003.
 42. Zikherman, J., Jenne, C., Watson, S., Doan, K., Raschke, W., Goodnow, C.C., and Weiss, A. 2010. CD45-Csk phosphatase-kinase titration uncouples basal and inducible T cell receptor signaling during thymic development. *Immunity* 32:342354.
 43. Tan, Y.-X., Manz, B., Freedman, T.S., Zhang, C., Shokat, K.M., and Weiss, A. 2014. Inhibition of the kinase Csk in thymocytes reveals a requirement for actin remodeling in the initiation of full TCR signaling. *Nature Immunol.*, 15:186-194.
 44. Manz, B., Tan, Y.-X., Courtney, A.H., Rutaganira, F., Palmer, E., Shokat, K.M., and Weiss, A. 2015. Small molecule inhibition of Csk alters affinity recognition by T cells. *eLife*. Aug 24;4. doi: 10.7554/eLife.08088.
 45. Chang, V.T., et al. 2016. Initiation of T cell signaling by CD45 segregation at “close contacts”. *Nat. Immunol.* 17:574-582.

Tec Family PTKs:

Review

46. Schwartzberg, P.L., Finkelstein, L.D., and J.A. Readinger. 2005. Tec-family kinases: regulators of T-helper-cell differentiation. *Nature Rev. Immunol.* 5:284-294.
47. Liu, K.-Q., S.C. Bunnell, C.B. Gurniak, and L.J. Berg. 1998. T cell receptor-initiated calcium release is uncoupled from capacitative calcium entry in Itk-deficient T cells. *J. Exp. Med.* 187:1721-1727.
48. Schaeffer, E.M., J. Debnath, et al. 1999. Requirement for Tec kinases Rlk and Itk in T cell receptor signaling and immunity. *Science* 284:638-641.

Adaptors and PTK substrates:

Review:

49. Jordan, M.S., A.L. Singer, and G.A. Koretzky. 2003. Adaptors as central mediators of signal transduction in immune cells. *Nat. Immunol.* 4:110-6.
50. Zhang, W., J. Sloan-Lancaster, J. Kitch, R.P. Trible, and L.E. Samelson. 1998. LAT: The ZAP-70 tyrosine kinase substrate that links T cell receptor to cellular activation. *Cell* 92:83-92.
51. Finco, T.S., T. Kadlecak, W. Zhang, L.E. Samelson, and A. Weiss. 1998. LAT is required for TCR-mediated activation of PLC γ 1 and the Ras pathway. *Immunity* 9:617-626.
52. Yablonski, D., M.R. Kuhne, T. Kadlecak, and A. Weiss. 1998. Uncoupling of nonreceptor tyrosine kinases from PLC- γ 1 in an SLP-76-deficient T cell. *Science* 281:413-416.
53. Clements, J.L., B. Yan, et al. 1998. Requirement for the leukocyte-specific adapter

- protein SLP-76 for normal T cell development. *Science* 281:416-419.
54. Fischer, K.-D., A. Zmuldzinas, et al. 1995. Defective T-cell receptor signaling and positive selection of Vav-deficient CD4+CD8+ thymocytes. *Nature* 374:474-477.
 55. Crespo, P., K.E. Schuebel, A.A. Ostrom, J.S. Gutkind, and X.R. Bustelo. 1997. Phosphotyrosine-dependent activation of Rac-1 GDP/GTP exchange by the vav proto-oncogene product. *Nature* 385:169-172.
 56. Wardenburg, J.B., R. Pappu, et al. 1998. Regulation of PAK activation and the T cell cytoskeleton by the linker protein SLP-76. *Immunity* 9:607-616.
 57. Peterson, E.J., M.L. Woods, et al., 2001. Coupling the TCR to integrin activation by SLAP-130/Fyb. *Science*. 293:2263-2265.
 58. Snapper, S.B., F.S. Rosen, et al. 1998. Wiskott-Aldrich syndrome protein-deficient mice reveal a role for Wasp in T but not B cell activation. *Immunity*. 9:81-91.

GEMs (Glycolipid-enriched microdomains), Lipid Rafts, or DIGs

Review:

59. Simons, K., and R. Ehehalt. 2002. Cholesterol, lipid rafts, and disease. *J. Clin. Invest.* 110:597-603.

The Phosphatidylinositol Pathway in T Cells:

Review:

60. Berridge, M. J. 1998. Calcium - a life and death signal. *Nature* 395:645-648.
61. Weiss, A., J. Imboden, D. Shoback, and J. Stobo. 1984. Role of T3 surface molecules in human T-cell activation: T3-dependent activation results in an increase in cytoplasmic free calcium. *Proc. Natl. Acad. Sci. USA*. 81:4169-4173.
62. Imboden, J. B., and J. D. Stobo. 1985. Transmembrane signalling by the T cell antigen receptor: Perturbation of the T3-antigen receptor complex generates inositol phosphates and releases calcium ions from intracellular stores. *J. Exp. Med.* 161:446-456.
63. June, C. H., M. C. Fletcher, et al. 1990. Inhibition of tyrosine phosphorylation prevents T cell receptor-mediated signal transduction. *Proc. Natl. Acad. Sci. USA*. 87:7722-7726.
64. Weiss, A., G. Koretzky, R. Schatzman, and T. Kadlecak. 1991. Stimulation of the T cell antigen receptor induces tyrosine phosphorylation of phospholipase C γ 1. *Proc. Natl. Acad. Sci. USA*. 88:5484-5488.
65. Monks, C.R., H. Kupfer, I. Tamir, A. Barlow, and A. Kupfer. 1997. Selective modulation of protein kinase C-theta during T-cell activation. *Nature* 385:83-86.
66. Liu, J., J. D. Farmer, et al. 1991. Calcineurin is a common target of cyclophilin-cyclosporin A and FKBP-FK506 complexes. *Cell*. 66:807-815.
67. Flanagan, W. M., B. Corthesy, R. J. Bram, and G. R. Crabtree. 1991. Nuclear association of a T-cell transcription factor blocked by FK-506 and cyclosporin A. *Nature*. 352:803-807.
68. Clipstone, N. A., and G. R. Crabtree. 1992. Identification of calcineurin as a key signalling enzyme in T-lymphocyte activation. *Nature*. 357:695-697.
69. O'Keefe, S. J., J. Tamura, R. L. Kincaid, M. J. Tocci, and E. A. O'Neil. 1992. FK-506-

- and CsA-sensitive activation of the interleukin-2 promoter by calcineurin. *Nature*. 357:692-694.
70. Liou, J., M.L. Kim, W.D. Heo, J.T. Jones, J.W. Myers, J.E. Ferrell Jr., and T. Meyer. 2005. STIM is a Ca²⁺ sensor essential for Ca²⁺-store-depletion-triggered Ca²⁺ influx. *Curr. Biol.* 15:1235-41.
 71. Feske, S., Y. Gwack, M. Prakriya, S. Srikanth, S.H. Poppel, B. Tanasa, P.G. Hogan, R.S. Lewis, M. Daly, and A. Rao. 2006. A mutation in Orai1 causes immune deficiency by abrogating CRAC channel function. *Nature*. 441:179-85.
 72. Li, F.-Y., Li, B. Chaigne-Delalande, C. Kanellopoulou, J.C. Davis, H.F. Matthews, D.C. Douek, J. I Cohen, G. Uzel, H.C. Su, and Lenardo MJ. 2011. Second messenger role revealed for Mg²⁺ revealed by T-cell immunodeficiency. *Nature*. 475:471-476.

Activation of Ras, Rac and Cytoplasmic Serine/Threonine Protein Kinases:
Review:

79. Jun, J.E., Rubio, I., and J.P. Roose. Regulation of ras exchange factors and cellular localization of ras activation by lipid messengers in T cells. *Front. Immunol.* 2013 Sep 4;4:239. doi: 10.3389/fimmu.2013.00239.
80. Downward, J., J. D. Graves, P. H. Warne, S. Rayter, and D. A. Cantrell. 1990. Stimulation of p21ras upon T-cell activation. *Nature*. 346:719-723.
81. Woodrow, M., Clipstone, N. A., and Cantrell, D. 1993. p21ras and calcineurin synergize to regulate the nuclear factor of activated T cells. *J. Exp. Med.* 178: 1517-1522.
82. Dower, N.A., S.L. Stang, et al., 2000. RasGRP is essential for mouse thymocyte differentiation and TCR signaling. *Nature Immunol.* 1:317-321.
83. Sun, Z., C.W. Arendt, W. Ellmeier, et al., 2000. PKC-theta is required for TCR-induced NF-kappaB activation in mature but not immature T lymphocytes. *Nature*. 404:402-407.
84. Holsinger, L.J., et al. 1998. Defects in actin-cap formation in Vav-deficient mice implicate an actin requirement for lymphocyte signal transduction. *Curr. Biol.* 8:563-572.
85. Roose, J.P., Mollenauer, M., Ho, M., Kurosaki, T., and Weiss, A. 2007. Unusual interplay of two types of Ras activators, RasGRP and SOS, establishes sensitive and robust Ras activation in lymphocytes, *Mol. Cell. Biol.*, 27:2732-2735.
86. Das, J., et al., Digital signaling and hysteresis characterize Ras activation in lymphoid cells. *Cell*, 136:337-351. 2009.
87. Iwig, J.S., et al. 2013. Structural analysis of autoinhibition in the Ras-specific exchange factor RasGRP1. *eLife*. Jul 30;2:e00813. doi: 10.7554/eLife.00813.